


LIQUID CONTROLS GROUP




Terminal and Bulk Plant Metering Applications





Premier products, premier performance

Liquid Controls Group offers a broad selection of positive displacement (pd) meters and turbine meters for bulk flow measurement, worldwide. For **Weights and Measures-approved** custody transfer of petroleum products, petrochemicals and other industrial products, LCG meters represent your best choice in overall value, and lowest cost-of-ownership over time.



Applications

Terminal Loading/Unloading

- Truck
- Railcar
- Barge
- Ship

Bulk Plant

Crude Petroleum Processing

- Wellhead
- Refinery

Prover Systems

- Volumetric Provers
- Master Meters

Features and benefits

LC's positive displacement meters are exclusively engineered with **no metal-to-metal contact** inside the measuring chamber ensuring minimal wear and sustained accuracy. With LC metering systems, you can count on longer intervals between meter calibrations and **years of accurate and trouble-free performance** regardless of variations in temperature, volume, viscosity or pressure.

At the Liquid Controls ISO-certified facility in Lake Bluff, Illinois, LC metering systems are manufactured to last. Precision-engineered meters, valves, air eliminators/strainers, and accessories provide unsurpassed performance in the most demanding conditions.

And, when it comes to data management, LC offers both mechanical and electronic systems, providing simple registration or precise automated control and data management that suits your particular requirements.

LC metering systems are sold and serviced by a worldwide network of qualified distributors and OEMs. Our products are backed by our established reputation for accuracy and reliability. That's why Liquid Controls leads the industry in metering solutions and that's why you'll want Liquid Controls' quality as part of your process applications.



Meters

The Liquid Controls Group delivers world-class flow measurement systems with both positive displacement and turbine meter technologies for bulk product and terminal metering applications. Weights & Measures approved Turbine Meters and M Series and MS Series PD meters provide an accurate and cost-effective method for custody-transfer loading and unloading of transports, tankers, railcars, ships, barges and more.

Capacity (maximum nominal flow rate)

60 to 1000 GPM
227 to 3,785 L/min

Working pressure rating

150 PSI and 275 PSI
10.5 BAR and 19 BAR

Connections

1½", 2", 3", 4", 6" NPT, BSPT or slip w/ekt companion flanges. Optional RF or FF ANSI.



Aluminum Body Meters

Capacity (maximum nominal flow rate)

100 to 1,000 GPM
380 to 3,785 L/min

22.7 to 227 m³/hour

Working pressure rating

285 to 1,440 PSI
10.5 to 100 BAR

Connections

2", 3", 4", 6" and 8" ANSI flanges



Steel Case Meters

Optional Pulse Amplifier



Turbine Meters

Capacity (maximum nominal flow rate)

To 12,000 GPM
To 45,420 L/min

Working pressure rating

To 2500# ANSI

Connections

3", 4" and 6" ANSI flange (others on request)

M™ Series meters

Available in aluminum-body construction with working pressures to 150 psi and nominal flow rates to 1000 gpm for bulk metering applications. The choice of connections and compact construction features maximize the simplicity of the installation. Available with mechanical or electronic registration.

Linearity	Repeatability	Range	Registration
± .22%	.05%	10:1	Mechanical
± .10%	.03%	10:1	Electronic

MS™ Series meters

The MS Series meters feature the same high-quality meter elements and accuracy that are the hallmark of all LCG PD meters. Housed in a spherical steel pressure shell rated up to 1,440 psi working pressure, and with flow rates to 1,200 gpm, the MS Series is ideal for terminal applications. Multiple inlet/outlet configurations provide wide-ranging mounting flexibility.



Standard Mounting Configurations (others available upon request)

Turbine meters

NIST^{1,2} approved models available for custody transfer applications. Available in 3", 4", and 6" sizes for accurate, dependable service measuring low to moderate viscosity liquids. Offered in 300 stainless steel, with other construction materials available on request. Turbine rotor is hydraulically balanced and supported by precision stainless steel bearings.

Linearity	Repeatability	Range	Registration
± .15%	.02%	10:1	Electronic

1. NIST-approved for gasoline, solvent, diesel fuel, and fuel oil on 3" and 4"
2. Consult factory for ethanal approvals.

System components

The Liquid Controls Group offers the full spectrum of components including meters, valves, air eliminators, strainers, and registers that ensure your flow measurement system functions properly. LC flow measurement systems provide accurate, trouble-free performance from the day your equipment is installed throughout its long service life.

Capacity (Max. flow rate)

To 1,200 GPM, 4,542 L/min
272 m³/hr

Working pressure rating

150 psi, 10.5 BAR
19.6 kg/cm

Connections

To 8" flanged

Temperature

-40° to 160° F
-40° to 71° C



Control valves

LCG valves for terminal applications are available in steel-body designs, engineered to provide precise, controlled response and soft closure at shut off. The hydraulically balanced designs ensure minimum head loss and maximum resistance to cavitation, regardless of system pressure and flow rate. Digital valves allow precise batch control when used with an electronic controller, such as the Toptech MultiLoad II Controller.

Features

- Air eliminator senses and eliminates air or vapor before it enters the meter
- Strainer captures foreign particles; removes from flow
- Choice of strainer mesh sizes available (20 mesh through 100 mesh)



Bulk air eliminators and strainers

A selection of strainers and air eliminators is available for removing foreign particles and air from the system. Air eliminators and strainers ensure accurate fluid measurement, protect the metering system, and extend system uptime. Strainer and air eliminators are available as individual components or as an integrated assembly supplied with the meter. Steel-body designs are offered for terminal applications.

Features

- Weights and Measures approved
- Operator-friendly controls
- High visibility displays



LectroCount Electronic Register

Registers and flow computers

The Liquid Controls Group packages your meter with a selection of proven register and flow computer options manufactured by LCG. Engineered packages are available for high-end, automated batching and blending systems, as well as for basic electronic preset or mechanical registration systems. Meter-mounted LCG POD pulser available for pulse output to electronic register. Contact Liquid Controls Group for additional information.



Toptech MultiLoad II SMP



POD Pulser

Turnkey solutions from Liquid Controls

Liquid Controls Group custom designs assembled metering systems tailored for your operation. Integrating the best meters and accessories, LCG maximizes the accuracy, efficiency, and operating life of your installation. That means fast, simplified installation, Weights and Measures-certified accuracy, and reduced downtime over the life of the system.

Features

- Reduced field installation time
- Modular design for simplified future upgrades
- Pressure-tight joints fully assembled and tested
- Cabled for power and communications



A. Strainer/air eliminator B. Meter C. Valve
D. Skid mount E. Toptech MultiLoad II SMP

Skids

All Liquid Controls Group components are built, inspected, assembled and tested under ISO-certified factory conditions. Skid-mounted units are delivered to the site ready for service. Units are simply set in place, connected to your system, calibrated... and are fully operational within hours.

Capacity

132 to 1,320 gallons
500 to 5,000 liters

Metallurgy

Carbon steel, epoxy-coated
steel or 300-series
stainless steel



Volumetric provers

The Liquid Controls Group supplies a range of volumetric provers, from basic provers to complete prover/master integrated systems. Volumetric provers are used for Weights and Measures approved calibration of master meters and delivery meters.

Master meters

The Liquid Controls Group also offers fully certified positive displacement master meters for on-site meter calibration and system commissioning. Contact the factory for details.



A tradition of excellence that benefits you

Over fifty years ago, Liquid Controls set a new standard of excellence in engineering building the finest flow meter products possible. Starting with metering aviation fuel for the United States Air Force, the Liquid Controls name became synonymous with dependability and accuracy. Because of constant innovation in flow meter technology, a worldwide distribution network and an ever-expanding industry base, Liquid Controls quickly became the premier name for controlling and measuring high-value liquids and gases.

In 2001, Liquid Controls joined the IDEX team of companies and became part of the Liquid Controls Group. The Liquid Controls Group is a collection of well respected companies brought together to assure custody control and precision management of high-value fluids and gases. IDEX is a leader in the manufacture of a broad range of pump products, dispensing equipment and other engineered technologies. Maintaining a theme of leadership, IDEX delivers **Innovation**, **Diversity** and **EXcellence** to thousands of valued customers around the world.

Our commitment to excellence will never change. The professionals at the Liquid Controls Group are driven to bring you products that perform efficiently and accurately, with minimum maintenance for years to come. Delivering everything you'd expect from the very best—that's our goal.

LIQUID CONTROLS GROUP

A Unit of IDEX Corporation

105 Albrecht Drive
Lake Bluff, IL 60044-2242
1.800.458.5262 • 847.295.1050
Fax: 847.295.1057
www.liquidcontrolsgroup.com



Copyright © 2004 Liquid Controls, Inc.
Pub. 200-40 (4/15/07)

